

# Cable Assemblies and Fittings for Industrial Control and Signal Distribution Certified for Canada

## COMPANY

### DONGGUAN FINECABLES CO LTD

B5 Blk South Industrial  
Humen Town  
Dongguan, Guangdong 523900 China

E321413

*View model for additional information*

Model(s): Cat. Nos. FC, followed by M41, followed by 4, followed by -, followed by E83, followed by 4, followed by -, followed by 8, followed G, followed by -, followed by 304, 305, 331, 334, 338, 339, 668, 672, 750, 756, 763, 765 or 768, followed by -, followed by P, followed by S, followed by 0 thru 9, followed by 4, followed by N2, followed by -, followed by any digits or alphanumerics indicating cable length, may or may not be followed by – and any 3 to 4 alphanumerics.

**Cable Assemblies,** Model(s): Cat. No. MA12MS#xx04ST-MA12MS#xx04ST-xxx, where # can be A, B, C or D, xx can be HD or F, xxx can be digit extension.

**Cable Assemblies,** Model(s): Cat. No. MA12MS#xx04ST-RJ45 8P8C plug-xxx, where # can be A, B, C or D, xx can be HD or F, xxx can be digit extension.

**Cable Assemblies, M12 Series,** Model(s): MA12F\*\*xxRA-MA12F\*\*xxRA-xxx (c), MA12F\*\*xxRA-MA12F\*\*xxST-xxx (c), MA12F\*\*xxRA-MA12M\*\*xxST-xxx (c), MA12F\*\*xxST-MA12F\*\*xxST-xxx(c), MA12M\*\*xxRA-MA12F\*\*xxRA-xxx(c), MA12M\*\*xxRA-MA12F\*\*xxST-xxx (c).

**Cable Assemblies, M12 Series,** Model(s): MA12 followed by M or F followed by B, followed by F, HD or P, followed by 03, 04 or 05, followed by ST or RA, followed by any digit or number, followed by C or R, followed by B, G, O, Y, L, E or P, followed by 25 or 34.

**Cable Assemblies, M12 Series,** Model(s): MA12FB\*xxST-MA12FB\*xxST-xxx MA12MB\*xxST-MA12FB\*xxST-xxx, MA12FB\*xxRA-MA12FB\*xxST-xxx, MA12FB\*xxRA-MA12MB\*xxST-xxx, MA12MB\*xxRA-MA12FB\*xxST-xxx, MA12FB\*xxRA-MA12FB\*xxRA-xxx (b)

**Cable Assemblies, M12 Series,** Model(s): MA12M\*\*xxST-MA12F\*\*xxST-xxx where \*\* can be AF, AHD or AP, xx can be 03, 04, 05 or 08, xxx can be digit extension.

**Female Assembled-on Cable Fitting,** Model(s): MB08 f/b FA, f/b A, f/b F, f/b F, f/b 03 or 04, f/b ST, f/b A or B or W

**Female Assembled-on Cable Fitting,** Model(s): MB08 f/b FA, f/b A, f/b F, f/b F, f/b 06 or 08, f/b ST, f/b A or B or W

**Female Assembled-on Cable Fitting**, Model(s): MB08 f/b FA, f/b B, f/b F, f/b F, f/b 05, f/b ST, f/b A or B or W

**Female Assembled-on Cable Fitting**, Model(s): MB08 f/b FWS, f/b A, f/b F, f/b F, f/b 03 or 04, f/b ST, f/b A, B or W

**Female Assembled-on Cable Fitting, Factory wired, MB Series, M16 type:**, Model(s): Cat. Nos. MB16, followed by FWS, followed by A, followed by F, followed by F or HD, followed by 19a followed by ST, followed by -, followed by 3 or 7.

**Female Cable assemblies**, Model(s): MB12, f/b FW, f/b A, B or D, f/b F, f/b F, P or HD, f/b 03, f/b ST or RA, f/b -3 or -4

**Female Cable assemblies**, Model(s): MB12, f/b FW, f/b A, B or D, f/b F, f/b F, P or HD, f/b 04, f/b ST or RA, f/b -3 or -4

**Female Cable assemblies**, Model(s): MB12, f/b FW, f/b A, B or D, f/b F, f/b F, P or HD, f/b 05, f/b ST or RA, f/b -3 or -4

**Female Cable assemblies**, Model(s): MB12, f/b FW, f/b A, B or D, f/b F, f/b F, P or HD, f/b 08, f/b ST or RA, f/b -3 or -4

**Female Cable assemblies**, Model(s): MB12, f/b FWS, f/b A, B or D, f/b F, f/b F or HD, f/b 03, f/b ST, f/b -A or -B

**Female Cable assemblies**, Model(s): MB12, f/b FWS, f/b A, B or D, f/b F, f/b F or HD, f/b 04, f/b ST, f/b -A or -B

**Female Cable assemblies**, Model(s): MB12, f/b FWS, f/b A, B or D, f/b F, f/b F or HD, f/b 05, f/b ST, f/b -A or -B

**Female Cable assemblies**, Model(s): MB12, f/b FWS, f/b A, B or D, f/b F, f/b F or HD, f/b 08, f/b ST, f/b -A or -B

**Female Cable Fitting**, Model(s): MB12, followed by FW, followed by A, B or D, followed by F, followed by F, P or HD, followed by 03, 04, 05 or 08, followed by ST or RA, followed by -3 or -4, may or may not be followed by N.

**Female Cable Fitting**, Model(s): MB12, followed by FWS, followed by A, B or D, followed by F, followed by F or HD, followed by 03, 04, 05 or 08, followed by ST, followed by -A or -B.

**Female Cable fitting, Factory Assembled-on, "Q series":**, Model(s): Q6E, Q7E

**Female Cable fitting, Factory Assembled-on, "Q series":**, Model(s): Cat. Nos. MA16, followed by M or MS, followed by A, followed by F or HD, followed by 02, 03a, 04a, 05a, 05b, 06a, 07a, 07b or 08a followed by ST or RA, followed by any digit numbers, followed by C or R, followed by B, G, O, Y, P, L or E, followed by 50 or 82.

**Female Cable fitting, Factory Assembled-on, "Q series":**, Model(s): Cat. Nos. MA16, followed by M or MS, followed by A, followed by F or HD, followed by 12a, 14a, 14b or 19a followed by ST or RA, followed by any digit numbers, followed by C or R, followed by B, G, O, Y, P, L or E, followed by 25 or 34.

**Female Cable Fitting, M12 Series Connectors**, Model(s): MA12, followed by FS, followed by A, B, C or D, followed by HD or F, followed by 03, 04, 05, 06 or 08, followed by ST or RA, followed by any digit of number, followed by C or R, followed by B, G, O, P, Y, L or E, followed by 25 or 34

**Female Cable Fittings, Factory Molded-on, MA Series, M16 type:**, Model(s): Cat. Nos. MA16, followed by F or FS, followed by A, followed by F or HD, followed by 02, 03a, 04a, 05a, 05b, 06a, 07a, 07b or 08a followed by ST or RA, followed by any digit numbers, followed by C or R, followed by B, G, O, Y, P, L or E, followed by 50 or 82.

**Female Cable Fittings, Factory Molded-on, MA Series, M16 type:**, Model(s): Cat. Nos. MA16, followed by F or FS, followed by A, followed by F or HD, followed by 12a, 14a, 14b or 19a followed by ST or RA, followed by any digit numbers, followed by C or R, followed by B, G, O, Y, P, L or E, followed by 25 or 34.

**Female Cable Fittings, Field assembled-on, MB Series, M12 type:** Model(s): MB12, followed by FW followed by A, followed by F, followed by HD or F, followed by 03, 04 or 05, followed by ST or RA, followed by -3 or -4, followed by blank, followed by -3870.

**Female Cable Fittings, Field assembled-on, MB Series, M8 type:** Model(s): MB08, followed by FW, followed by A, followed by F, followed by HD or F, followed by 03 or 04, followed by ST,

**Female Molded-on Cable Fitting**, Model(s): MA08 f/b F or FS, f/b A, f/b HD or F or P, f/b 03 or 04, f/b ST or RA, f/b any digit of number, f/b C or R, f/b B, G, O, P, L, E or Y, f/b 14

**Female Molded-on Cable Fitting**, Model(s): MA08 f/b F or FS, f/b A, f/b HD or F or P, f/b 03 or 04, f/b ST or RA, f/b any digit of number, f/b C or R, f/b B, G, O, P, L, E or Y, f/b 25 or 34

**Female Molded-on Cable Fitting**, Model(s): MA08 f/b F or FS, f/b A, f/b HD or F or P, f/b 06 or 08, f/b ST or RA, f/b any digit of number, f/b C or R, f/b B, G, O, P, L, E or Y, f/b 14, 25

**Female Molded-on Cable Fitting**, Model(s): MA08 f/b F or FS, f/b B, f/b HD or F or P, f/b 05, f/b ST or RA, f/b any digit of number, f/b C or R, f/b B, G, O, P, L, E or Y, f/b 25 or 34

**Female Molded-on Cable Fitting**, Model(s): MA08 f/b F, f/b A, f/b I, f/b 03 or 04, f/b ST or RA, f/b any digit of number, f/b C or R, f/b B, G, O, P, L, E or Y, f/b 25 or 34

**Female Molded-on Cable Fitting**, Model(s): MA12 f/b F or FS, f/b A, f/b F, P or HD, f/b 12, f/b ST or RA, f/b any digit of number, f/b C or R, f/b B, G, O, P, L, E or Y, f/b 14

**Female Molded-on Cable Fitting**, Model(s): MA12 f/b F or FS, f/b A, f/b F, P or HD, f/b 12, f/b ST or RA, f/b any digit of number, f/b C or R, f/b B, G, O, P, L, E or Y, f/b 25

**Female Molded-on Cable Fitting**, Model(s): MA12 f/b F or FS, f/b A, f/b F, P or HD, f/b 17, f/b ST or RA, f/b any digit of number, f/b C or R, f/b B, G, O, P, L, E or Y, f/b 14

**Female Molded-on Cable Fitting**, Model(s): MA12 f/b F or FS, f/b A, f/b F, P or HD, f/b 17, f/b ST or RA, f/b any digit of number, f/b C or R, f/b B, G, O, P, L, E or Y, f/b 25

**Female Panel-Mount Fitting**, Model(s): MB12 f/b FB, f/b A, f/b F or R, f/b HD or F, f/b 12, f/b ST, f/b -2 or -3

**Female Panel-Mount Fitting**, Model(s): MB12 f/b FB, f/b A, f/b F or R, f/b HD or F, f/b 17, f/b ST, f/b -2 or -3

**Female Panel-Mount Fitting**, Model(s): MB12 f/b FS, f/b A, f/b F or R, f/b HD or F, f/b 12, f/b ST, f/b -2 or -3

**Female Panel-Mount Fitting**, Model(s): MB12 f/b FS, f/b A, f/b F or R, f/b HD or F, f/b 17, f/b ST, f/b -2 or -3

**Female Panel-Mount Outlet, MB Series, M16 type :** Model(s): Cat. Nos. MB16, followed by FS, followed by A, followed by F or R, followed by F or HD, followed by 02, 03a, 04a, 05a, 05b, 06a, 07a, 07b, 08a followed by ST, followed by -, followed by 6.

**Female Panel-Mount Outlet, MB Series, M16 type :** Model(s): Cat. Nos. MB16, followed by FS, followed by A, followed by F or R, followed by F or HD, followed by 12a, 14a, 14b or 19a followed by ST, followed by -, followed by 6.

**Female Panel-Mounted Fitting**, Model(s): MA08FA\*\*08ST-MA08MA\*\*08ST-xxx (a) extension.

**Female Panel-Mounted Fitting**, Model(s): MA08FA\*\*08ST-MA12MA\*\*08ST-xxx(a) extension.

**Female Panel-Mounted Fitting**, Model(s): MA12 f/b F, f/b A, f/b F or HD, f/b 17, f/b ST, f/b any digit of number, f/b R, f/b Y, f/b 14/08.

**Female Panel-Mounted Fitting**, Model(s): MA12, f/b F, f/b A or B, f/b F, P or HD, f/b 03, 04 or 05, f/b ST, f/b digit of number, f/b C or R, f/b B, G, O, Y, L, E or P, f/b 14.

**Female Panel-Mounted Fitting**, Model(s): MA12, f/b M, f/b A or B, f/b F, P or HD, f/b 03, 04 or 05, f/b ST, f/b digit of number, f/b C or R, f/b B, G, O, Y, L, E or P, f/b 14.

**Female Panel-Mounted Fitting**, Model(s): MB08 f/b FBS, f/b A, f/b F, f/b F, f/b 03 or 04, f/b RA

**Female Panel-Mounted Fitting**, Model(s): MB08 f/b FBS, f/b B, f/b F, f/b F, f/b 05, f/b RA

**Female Panel-Mounted Fitting**, Model(s): MB08 f/b FS or FB, f/b A, f/b F or R, f/b F or HD, f/b 03 or 04 f/b ST

**Female Panel-Mounted Fitting**, Model(s): MB08 f/b FS or FB, f/b A, f/b F or R, f/b F or HD, f/b 06 or 08 f/b ST

**Female Panel-Mounted Fitting**, Model(s): MB08 f/b FS or FB, f/b B, f/b F or R, f/b F or HD, f/b 05 f/b ST

**Male Assembled-on Cable Fitting**, Model(s): MB08 f/b MA, f/b A, f/b F, f/b F, f/b 03 or 04, f/b ST, - f/b A or B or W

**Male Assembled-on Cable Fitting**, Model(s): MB08 f/b MA, f/b A, f/b F, f/b F, f/b 06 or 08, f/b ST, f/b A or B or W

**Male Assembled-on Cable Fitting**, Model(s): MB08 f/b MWS, f/b A, f/b F, f/b F, f/b 03 or 04, f/b ST, f/b A, B or W

**Male Assembled-on Cable Fitting, Factory wired, MB Series, M16 type:**, Model(s): Cat. Nos. MB16, followed by MWS, followed by A, followed by F, followed by F or HD, followed by 02, 03a, 04a, 05a, 05b, 06a, 07a, 07b, 08a followed by ST, followed by -, followed by 3 or 4.

**Male Assembled-on Cable Fitting, Factory wired, MB Series, M16 type:**, Model(s): Cat. Nos. MB16, followed by MWS, followed by A, followed by F, followed by F or HD, followed by 12a, 14a or 14b followed by ST, followed by -, followed by 3 or 4.

**Male Assembled-on Cable Fitting, Factory wired, MB Series, M16 type:**, Model(s): Cat. Nos. MB16, followed by MWS, followed by A, followed by F, followed by F or HD, followed by 19a followed by ST, followed by -, followed by 3 or 7.

**Male Cable assemblies**, Model(s): MB12, f/b MW, f/b A, B or D, f/b F, f/b F, P or HD, f/b 03, f/b ST or RA, f/b -3 or -4

**Male Cable assemblies**, Model(s): MB12, f/b MW, f/b A, B or D, f/b F, f/b F, P or HD, f/b 04, f/b ST or RA, f/b -3 or -4

**Male Cable assemblies**, Model(s): MB12, f/b MW, f/b A, B or D, f/b F, f/b F, P or HD, f/b 05, f/b ST or RA, f/b -3 or -4

**Male Cable assemblies**, Model(s): MB12, f/b MW, f/b A, B or D, f/b F, f/b F, P or HD, f/b 08, f/b ST or RA, f/b -3 or -4

**Male Cable assemblies**, Model(s): MB12, f/b MWS, f/b A, B or D, f/b F, f/b F or HD, f/b 03, f/b ST, f/b -A or -B

**Male Cable assemblies**, Model(s): MB12, f/b MWS, f/b A, B or D, f/b F, f/b F or HD, f/b 04, f/b ST, f/b -A or -B

**Male Cable assemblies**, Model(s): MB12, f/b MWS, f/b A, B or D, f/b F, f/b F or HD, f/b 05, f/b ST, f/b -A or -B

**Male Cable assemblies**, Model(s): MB12, f/b MWS, f/b A, B or D, f/b F, f/b F or HD, f/b 08, f/b ST, f/b -A or -B

**Male Cable Fitting**, Model(s): MB12, followed by MW, followed by A, B or D, followed by F, followed by F, P or HD, followed by 03, 04, 05 or 08 followed by ST or RA, followed by -3 or -4, may or may not be followed by N.

**Male Cable Fitting**, Model(s): MB12, followed by MWS, followed by A, B or D, followed by F, followed by F or HD, followed by 03, 04, 05 or 08, followed by ST, followed by -A or -B.

**Male cable fitting, Factory Over-Molded, "Q series":**, Model(s): Q6M-1, Q6M-2, Q6M-3, Q6M-4, Q6M-5, Q6M-6, Q7M-1, Q7M-2, Q7M-3, Q7M-4, Q7M-5, Q7M-6, Q7M-7

**Male Cable Fitting, M12 Series Connectors**, Model(s): MA12, followed by MS, followed by A, B, C or D, followed by HD or F, followed by 03, 04, 05, 06 or 08, followed by ST or RA, followed by any digit of number, followed by C or R, followed by B, G, O, P, Y, L or E, followed by 25 or 34

**Male Cable Fittings, Factory Molded-on, D Series:**, Model(s): Cat. Nos. D12 followed by 12a, followed by M, N, P or Q, followed by A, followed by -, followed by any digit numbers, followed by C or R, followed by B, G, O, Y, P, L or E, followed by 25, followed by -, followed by A180.

**Male Cable Fittings, Field assembled-on, MB Series, M12 type:**, Model(s): MB12, followed by MW, followed by A, followed by F, followed by HD or F, followed by 03, 04 or 05, followed by ST or RA, followed by -3 or -4 followed by blank, followed by -3870.

**Male Cable Fittings, Field assembled-on, MB Series, M12 type:**, Model(s): MB12, followed by MW, followed by A, followed by F, followed by HD or F, followed by 03, 04 or 05, followed by ST, followed by -7 followed by -D, followed by -3570.

**Male Cable Fittings, Field assembled-on, MB Series, M8 type:**, Model(s): MB08 followed by MW, followed by A, followed by F, followed by HD or F, followed by 03 or 04, followed by ST, followed by blank, followed by -5065 or -3550.

**Male Cable Fittings, Field assembled-on, MB Series, M8 type:**, Model(s): MB08, followed by MW, followed by A, followed by F, followed by HD or F, followed by 03 or 04, followed by ST, followed by -D, followed by -3143.

**Male Molded-on Cable Fitting**, Model(s): MA08 f/b M or MS, f/b A, f/b HD or F, f/b 03 or 04, f/b ST or RA, f/b any digit of number, f/b C or R, f/b B, G, O, P, L, E or Y, f/b 25 or 34

**Male Molded-on Cable Fitting**, Model(s): MA08 f/b M or MS, f/b A, f/b HD or F, f/b 06 or 08, f/b ST or RA, f/b any digit of number, f/b C or R, f/b B, G, O, P, L, E or Y, f/b 14 or 25

**Male Molded-on Cable Fitting**, Model(s): MA08 f/b M or MS, f/b B, f/b HD or F, f/b 05, f/b ST or RA, f/b any digit of number, f/b C or R, f/b B, G, O, P, L, E or Y, f/b 25 or 34

**Male Molded-on Cable Fitting**, Model(s): MA08 f/b M, f/b A, f/b I, f/b 03 or 04, f/b ST or RA, f/b any digit of number, f/b C or R, f/b B, G, O, P, L, E or Y, f/b 25 or 34

**Male Molded-on Cable Fitting**, Model(s): MA12 f/b M or MS, f/b A, f/b F, P or HD, f/b 12 f/b ST or RA, f/b any digit of number, f/b C or R, f/b B, G, O, P, L, E or Y, f/b 25

**Male Molded-on Cable Fitting**, Model(s): MA12 f/b M or MS, f/b A, f/b F, P or HD, f/b 12, f/b ST or RA, f/b any digit of number, f/b C or R, f/b B, G, O, P, L, E or Y, f/b 14

**Male Molded-on Cable Fitting**, Model(s): MA12 f/b M or MS, f/b A, f/b F, P or HD, f/b 17 f/b ST or RA, f/b any digit of number, f/b C or R, f/b B, G, O, P, L, E or Y, f/b 25

**Male Molded-on Cable Fitting**, Model(s): MA12 f/b M or MS, f/b A, f/b F, P or HD, f/b 17, f/b ST or RA, f/b any digit of number, f/b C or R, f/b B, G, O, P, L, E or Y, f/b 14.

**Male Panel-Mount Fitting**, Model(s): MB12 f/b MB, f/b A, f/b F or R, f/b HD or F, f/b 12, f/b ST, f/b -2 or -3

**Male Panel-Mount Fitting**, Model(s): MB12 f/b MB, f/b A, f/b F or R, f/b HD or F, f/b 17, f/b ST, f/b -2 or -3

**Male Panel-Mount Fitting**, Model(s): MB12 f/b MS, f/b A, f/b F or R, f/b HD or F, f/b 12, f/b ST, f/b -2 or -3

**Male Panel-Mount Fitting**, Model(s): MB12 f/b MS, f/b A, f/b F or R, f/b HD or F, f/b 17, f/b ST, f/b -2 or -3

**Male Panel-Mount Inlet, D Series :**, Model(s): Cat. Nos. D41 followed by 11a, followed by N or Q, followed by A, followed by -, followed by any digit numbers, followed by W, followed by W1, followed by -, followed by A180.

**Male Panel-Mount Inlet, MB Series, M16 type:**, Model(s): Cat. Nos. MB16, followed by MS, followed by A, followed by F or R, followed by F or HD, followed by 02, 03a, 04a, 05a, 05b, 06a, 07a, 07b, 08a followed by ST, followed by -, followed by 6.

**Male Panel-Mount Inlet, MB Series, M16 type:**, Model(s): Cat. Nos. MB16, followed by MS, followed by A, followed by F or R, followed by F or HD, followed by 12a, 14a, 14b or 19a followed by ST, followed by -, followed by 6.

**Male Panel-Mounted Fitting**, Model(s): MB12MBAFP04ST-0, MB12MBAFP05ST-0, MB12MBAFP08ST-0

**Male Panel-Mounted Fitting**, Model(s): Cat. No. FC, f/b A31 or A32, f/b 3, 4 or 5, f/b -0000, f/b -1 f/b 0, f/b -, f/b 003,063,071 or 097, f/b -P or -V, f/b X, f/b 0, 3, 4, 5, 6 or 8, f/b 3, 4 or 5, f/b A0, A5 or W6, f/b -, f/b any digit numbers.

**Male Panel-Mounted Fitting**, Model(s): Cat. No. FC, f/b A31 or A32, f/b 3, 4 or 5, f/b -0000, f/b -2 f/b 0, f/b -, f/b 003,063,071 or 097, f/b -P or -V, f/b X, f/b 0, 3, 4, 5, 6 or 8, f/b 3, 4 or 5, f/b A0, A5 or W6, f/b -, f/b any digit numbers.

**Male Panel-Mounted Fitting**, Model(s): Cat. No. FC, f/b A31 or A32, f/b 3, 4 or 5, f/b -A31 or -A32 f/b 3, 4 or 5, f/b -3 or -5, f/b 0, f/b -, f/b 304, 335, 347 or 365, f/b -P or -V, f/b X, f/b 0, 3, 4, 5, 6 or 8, f/b 3, 4 or 5, f/b A0, A5 or W6, f/b -, f/b any digit numbers.

**Male Panel-Mounted Fitting**, Model(s): Cat. No. Mini-C, f/b 03, 04 or 05, f/b F f/b ST or RA, f/b -M, f/b -, f/b any digit numbers, f/b C or R, f/b B, G, O, Y, P, L or E, f/b 150, 125 or 100.

**Male Panel-Mounted Fitting**, Model(s): Cat. No. Mini-C, f/b 03, 04 or 05, f/b F, f/b ST, f/b -PC, f/b R or F, f/b -, f/b any digit numbers, f/b W, f/b 150, 125 or 100.

**Male Panel-Mounted Fitting**, Model(s): Cat. No. Mini-C, f/b 03, 04 or 05, f/b M f/b ST or RA, f/b -M, f/b -, f/b any digit numbers, f/b C or R, f/b B, G, O, Y, P, L or E, f/b 150, 125 or 100.

**Male Panel-Mounted Fitting**, Model(s): Cat. No. Mini-C, f/b 03, 04 or 05, f/b M, f/b ST, f/b -PC, f/b R or F, f/b -, f/b any digit numbers, f/b W, f/b 150, 125 or 100.

**Male Panel-Mounted Fitting**, Model(s): MB08 f/b MBS, f/b A, f/b F, f/b F, f/b 03 or 04, f/b RA

**Male Panel-Mounted Fitting**, Model(s): MB08 f/b MBS, f/b B, f/b F, f/b F, f/b 05, f/b RA

**Male Panel-Mounted Fitting**, Model(s): MB08 f/b MS or MB, f/b A, f/b F or R, f/b F or HD, f/b 03 or 04 f/b ST

**Male Panel-Mounted Fitting**, Model(s): MB08 f/b MS or MB, f/b A, f/b F or R, f/b F or HD, f/b 06 or 08 f/b ST

**Male Panel-Mounted Fitting**, Model(s): MB08 f/b MS or MB, f/b A, f/b F or R, f/b I, f/b 03 or 04, f/b ST

**Male Panel-Mounted Fitting**, Model(s): MB08 f/b MS or MB, f/b B, f/b F or R, f/b F or HD, f/b 05 f/b ST

**Male Panel-Mounted Fitting,** Model(s): MB08 f/b MS, f/b A, f/b E, f/b I, f/b 04, f/b ST

**Male-Female extensions,** Model(s): 120861(A701-CP-T0042)

**Molded-on Cable Fitting,** Model(s): MA23FAQ0+13RAxxx200/25, MA23FAQ2+13RAxxx200/25

**Molded-on Cable Fitting,** Model(s): MA12\*C\*\*\*ST MA12\*C\*\*\*RA, MA12FC\*xxST-MA12FC\*xxST-xxx, MA12MC\*xxST-MA12FC\*xxST-xxx, MA12FC\*xxRA-MA12FC\*xxST-xxx, MA12FC\*xxRA-MA12MC\*xxST-xxx, MA12MC\*xxRA-MA12FC\*xxST-xxx, MA12FC\*xxRA-MA12FC\*xxRA-xxx

**Molded-on Cable Fitting,** Model(s): MA12\*D\*\*\*ST MA12\*D\*\*\*RA, MA12FD\*xxST-MA12FD\*xxST-xxx, MA12MD\*xxST-MA12FD\*xxST-xxx, MA12FD\*xxRA-MA12FD\*xxST-xxx, MA12FD\*xxRA-MA12MD\*xxST-xxx, MA12MD\*xxRA-MA12FD\*xxST-xxx, MA12FD\*xxRA-MA12FD\*xxRA-xxx

**Molded-on Cable Fitting,** Model(s): MA12, followed by FS, followed by A, B or D followed by HD or F, followed by 03, 04, 05 or 08, followed by ST or RA, followed by any digit of number, followed by C or R, followed by B, G, O, P, Y, L or E, followed by 25 or 34

**Molded-on Cable Fitting,** Model(s): MA12, followed by FS, followed by C followed by HD or F, followed by 03, 04, 05 or 06, followed by ST or RA, followed by any digit of number, followed by C or R, followed by B, G, O, P, Y, L or E, followed by 25 or 34

**Molded-on Cable Fitting,** Model(s): MA12, followed by MS, followed by A, B or D followed by HD or F, followed by 03, 04, 05 or 08, followed by ST or RA, followed by any digit of number, followed by C or R, followed by B, G, O, P, Y, L or E, followed by 25 or 34

**Molded-on Cable Fitting,** Model(s): MA12, followed by MS, followed by C followed by HD or F, followed by 03, 04, 05 or 06, followed by ST or RA, followed by any digit of number, followed by C or R, followed by B, G, O, P, Y, L or E, followed by 25 or 34

**Molded-on Cable Fitting, M12 Series,** Model(s): MA12FA, followed by F, HD or P, followed by 03, 04, 05 or 08, followed by RA followed by digit code, followed by C or R, followed by B, G, O, P, L, E or Y, followed by 34 or 25.

**Molded-on Cable Fitting, M12 Series,** Model(s): MA12FA, followed by F, HD or P, followed by 03, 04, 05 or 08, followed by ST followed by digit code, followed by C or R, followed by B, G, O, P, L, E or Y, followed by 34 or 25.

**Molded-on Cable Fitting, M12 Series,** Model(s): MA12MA, followed by F, followed by HD or P followed by 08, followed by ST, followed by digit code, followed by C or R, followed by B, G, O, Y, L, E or P, followed by 34 or 25.

**Molded-on Cable Fitting, M12 Series,** Model(s): MA12MA, followed by F, HD or P, followed by 03, 04 or 05 followed by ST, followed by digit code, followed by C or R, followed by B, G, O, Y, L, E or P, followed by 34 or 25.

**Molded-on Cable Fitting, M12 Series,** Model(s): MA12MA, followed by F, HD or P, followed by 03, 04, 05 or 08 followed by RA, followed by digit code, followed by C or R, followed by B, G, O, Y, L, E or P, followed by 34 or 25.

**Panel Mounted Inlet, M12 Series Connectors,** Model(s): MB12, followed by MS, MB or MBS, followed by A, B, C or D, followed by F or R, followed by HD or F, followed by 03, 04, 05, 06 or 08, followed by ST, followed by -0, -0-B162, -2 or -3

**Panel Mounted Outlet, M12 Series Connectors,** Model(s): MB12, followed by FS, FB or FBS, followed by A, B, C or D, followed by F or R, followed by HD or F, followed by 03, 04, 05, 06 or 08, followed by ST, followed by -0, -0-B162, -2 or -3

**Panel-Mount Fitting,** Model(s): MB12\*BAFF\*\*ST, MB12\*BBFF\*\*ST, MB12\*BCFF\*\*ST, MB12\*BDFF\*\*ST, MB12\*SARF\*\*ST\*, MB12\*SAFF\*\*ST\*, MB12\*SBRF\*\*ST\*, MB12\*SBFF\*\*ST\*, MB23MBAFQ0+13ST-6, MB23MBAFQ2+13ST-6, MB23MSAFQ0+13ST-6, MB23MSAFQ2+13ST-6

**Panel-Mount Fitting,** Model(s): MB12, followed by FS, FB or FBS followed by A, B, C or D, followed by F or R, followed by HD or F, followed by 03, 04, 05, 06 or 08, followed by ST, followed by -2 or -3

**Panel-Mount Fitting,** Model(s): MB12, followed by FS, FB or FBS, followed by C followed by F or R, followed by HD or F, followed by 03, 04, 05 or 06, followed by ST, followed by -2 or -3

**Panel-Mount Fitting,** Model(s): MB12, followed by MS, MB or MBS, followed by A, B, C or D followed by F or R, followed by HD or F, followed by 03, 04, 05, 06 or 08, followed by ST, followed by -2 or -3

**Panel-Mount Fitting,** Model(s): MB12, followed by MS, MB or MBS, followed by C followed by F or R, followed by HD or F, followed by 03, 04, 05 or 06, followed by ST, followed by -2 or -3

Last Updated on 2024-09-23

---

并不是所有出现在本数据库中的公司名称和产品都满足了UL 跟踪检验服务的要求。只有带有 UL 标志的产品，才应该被视为经过UL认证，并满足UL 跟踪检验服务的要求。注意查看产品上的标志。

UL 允许在线认证目录中所含材料的复制遵循以下条件：1.指南信息、装配、构造、设计、系统和/或认证（文件）必须在不篡改任何数据（或图纸）的情况下完整且无误导性地呈现。2.“经 UL 允许从在线认证目录转载”声明必须出现在所摘取材料的邻近位置。此外，转载材料必须包含以下格式的版权声明：“©2024 UL LLC.”